

**PROFORMA FOR SAFE DRINKING WATER AND SANITARY CONDITION
CERTIFICATE**

No:BBMP/MOH/KRP/PR/12 /2025-26

Dated:08-04-2025

It is certified that an inspection team headed by Dr. Vishweshvaraiah K.M MEDICAL OFFICER OF HEALTH (Name of Officers with designation) from BBMP HEALTH DEPARTMENT inspected the VAGDEVI VILAS SCHOOL Sy.No. 50/3, 43/3, Varanasi @ Jinke Timmanahalli Village,T.C. Palya Main Road, Bidarahalli Hobli, Bengaluru East Taluk, Bengaluru-560049(Name & Address of the school) on 07-04-2025 (date of inspection) and on the basis of Water Test Report (Attached) bearing no ULR NO: TC96532500031157F dated:04-04-2025 of EUREKA Analytical Services Pvt Ltd (PHED LAB) certified that the VAGDEVI VILAS SCHOOL (Name of school) has safe drinking water facilities for the students and members of staff of the institution. School is also maintains the hygienic sanitation condition in the school building & the campus as per norms prescribed by the

Central/ State/ U.T. Govt.

This certificate is valid till :08-4-2027

Signature with Seal:

Name : Dr. Vishweshvaraiah K.M
Designation : MEDICAL OFFICER OF HEALTH
Name & Address of the Officer / Department : BBMP
BBMP, K.R Puram,
Mahadevapura Zone, Bangalore.

To
VAGDEVI VILAS SCHOOL
Sy.No. 50/3, 43/3,
Varanasi @ Jinke Timmanahalli Village,
T.C. Palya Main Road, Bidarahalli Hobli,
Bengaluru East Taluk, Bengaluru-560049

Note: The certificate is to be issued by authorized officer / PHED Lab / local bodies

Dengayin Ghosh
Principal
Vagdevi Vilas School
Sy. No.50/3, 43/3, Varanasi@Jinke.
Thimmanahalli Village, Bidarahalli Hobli.
Bengaluru-560049

For VAGDEVI VILAS SCHOOL
[Signature]
Chairman

VAGDEVI VILAS SCHOOL

Sy. No. 50/3 and 43/3, Varanasi@ Jinke
Thimmanahalli Village,

T C Palya Main Road, Bidarahalli Hobli,
Bengaluru East Taluk,

Bengaluru-560049, Karnataka



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-03-12200

Sample Name: RO Water

Sample quantity: 5 Ltr + 1 Ltr

Sample Appearance: Clear Liquid

Condition on receipt: Good

Sample packing: Sealed Plastic Can+ Plastic Container

Environmental Condition: Not Applicable

Customer provided details: "Client Name: VAGDEVI
VILAS SCHOOL

Received On: 27/03/2025

Analysed between: 28/03/2025 to 03/04/2025

Sampling Details: Sampled By Eureka

Sampling Procedure: EKA-GEN-SOP-24

Sampling date: 27/03/2025

Sampling Location: No 50/3 ThimmanaHalli
Village TC Palya Main Road Bangalore 560049

Time of Sampling: Not Available

Name of Laboratory Representative: Mr. A. Swamy

Test Results

S. No.	Test Parameter	Test method	Result	Unit	Acceptable Limits, max	Permissible Limits in Absence of an Alternate source, max
Table: 1						
Organoleptic and Physical Parameters						
1	Colour	IS 3025 (Part-4): 2021	<1.0	Hazen Units	5	15
2	Odor	IS 3025 (Part-5): 2008	Agreeable	-	Agreeable	Agreeable
3	pH	IS 3025 (Part-11): 1983	6.58	-	6.5-8.5	No relaxation
4	Taste	IS 3025 (Part-7): 1984	Agreeable	-	Agreeable	Agreeable
5	Turbidity	IS 3025 (Part-10): 1984	<1.0	NTU	1	5
6	Total Dissolved Solids	IS 3025 (Part-16): 1984	112	mg/l	500	2000
Table :02						
General Parameters Concerning Substances Undesirable in Excessive Amounts						
7	Ammonia (as NH ₃ N)	IS 3025 (Part-34): 1988	<0.3	mg/l	0.5	No relaxation
8	Anionic detergents (as MBAS)	IS 13428 Annex K: 2005	<0.1	mg/l	0.2	1
9	Calcium as Ca	IS 3025 (Part-40): 1991)	12.95	mg/l	75	200
10	Chloramines as Cl ₂	IS 3025 (Part-26): 1986	<0.2	mg/l	4	No relaxation
11	Chloride as Cl	IS 3025 (Part-32): 1988	22.49	mg/l	250	1000
12	Fluoride as F ⁻	IS 3025 (Part-60): 2008	<1.0	mg/l	1	1.5

Vagdevi Vilas School
Sy. No. 50/3, 43/3, Varanasi@ Jinke
Thimmanahalli Village, Bidarahalli Hobli,
Bengaluru-560049

Eureka Analytical Services Pvt Ltd,

AB Square, #017, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043
Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

13	Residual Free Chlorine	IS 3025 (Part-26): 1986	<0.2	mg/l	0.2	1.0
14	Magnesium as Mg	IS 3025 (Part-46): 1994	2.95	mg/l	30	100
15	Nitrate as NO ₃	IS 3025 (Part-34): 1988	11.76	mg/l	45	No relaxation
16	Phenolic Compounds	IS 3025 (Part-43): 1992	<0.001	mg/l	0.001	0.002
17	Sulphate as SO ₄	IS 3025 (Part-24): 2022	3.403	mg/l	200	400
18	Sulphide as H ₂ S	IS 3025 (Part-29): 1986	<0.05	mg/l	0.05	No relaxation
19	Total Alkalinity as CaCO ₃	IS 3025 (Part-23): 1986	55.55	mg/l	200	600
20	Total Hardness as CaCO ₃	IS 3025 (Part-21): 2009	44.48	mg/l	200	600
21	Aluminium as Al	IS 3025 (Part-65): 2019	<0.02	mg/l	0.03	0.2
22	Barium as Ba	IS 3025 (Part-65): 2019	<0.5	mg/l	0.7	No relaxation
23	Boron as B	IS 3025 (Part-65): 2019	<0.5	mg/l	0.5	2.4
24	Copper as Cu	IS 3025 (Part-65): 2019	<0.02	mg/l	0.05	1.5
25	Iron as Fe	IS 3025 (Part-65): 2019	<0.1	mg/l	1.0	No relaxation
26	Manganese as Mn	IS 3025 (Part-65): 2019	<0.5	mg/l	0.1	0.3
27	Selenium as Se	IS 3025 (Part-65): 2019	<0.001	mg/l	0.01	No relaxation
28	Silver as Ag	IS 3025 (Part-65): 2019	<0.01	mg/l	0.1	No relaxation
29	Zinc as Zn	IS 3025 (Part-65): 2019	<0.1	mg/l	5	15
30	Mineral Oil	IS 3025 (Part-39): 2021	<0.1	mg/l	1.0	No relaxation
31	Uranium	IS 3025 Part 65	0.0028	mg/l	0.03	No relaxation

Table 3

Parameters Concerning Toxic Substances

32	Cyanide as Cn	IS 3025 (Part-27): 1986	<0.01	mg/l	0.05	No relaxation
33	Cadmium as Cd	IS 3025 (Part-65): 2019	<0.001	mg/l	0.003	No relaxation
34	Lead as Pb	IS 3025 (Part-65): 2019	<0.001	mg/l	0.01	No relaxation
35	Mercury as Hg	IS 3025 (Part-65): 2019	<0.001	mg/l	0.001	No relaxation
36	Molybdenum as Mo	IS 3025 (Part-65): 2019	<0.02	mg/l	0.07	No relaxation
37	Nickel as Ni	IS 3025 (Part-65): 2019	<0.02	mg/l	0.02	No relaxation
38	Total Arsenic as As	IS 3025 (Part-65): 2019	<0.005	mg/l	0.01	No relaxation
39	Total Chromium as Cr	IS 3025 (Part-65): 2019	<0.02	mg/l	0.05	No relaxation

PCB'S

40	2,4,4'-Trichlorobiphenyl	EKA-CHE-SOP-68	<0.00001	mg/l	0.0005	No relaxation
41	2,2',3,4,4',5' Hexachlorobiphenyl		<0.00001	mg/l		
42	2,2',4,4',5,5' hexachlorobiphenyl		<0.00001	mg/l		
43	2,2',4,5,5'-Pentachlorobiphenyl		<0.00001	mg/l		
44	2,2',5,5'-Tetrachlorobiphenyl		<0.00001	mg/l		
45	2,3',4,4',5 - Pentachlorobiphenyl		<0.00001	mg/l		
46	2,2',3,4,4,5,5' -Heptachlorobiphenyl		<0.00001	mg/l		

PAH'S

47	Anthracene	 EKA-CHE-SOP-68 Principal Vagdevi Vilas School Sy. No. 50/3, 43/3, Varanasi@Jinke Thimmanahalli Village, Bidarahalli Hobli.	<0.00001	mg/l	0.0001	No relaxation
48	Acenaphthene		<0.00001	mg/l		
49	Acenaphthylene		<0.00001	mg/l		
50	Benz[a]anthracene		<0.00001	mg/l		
51	Benzo[b]fluoranthene		<0.00001	mg/l		
52	Benzo(g,h,i) perylene		<0.00001	mg/l		
53	Benzo(k)fluoranthene		<0.00001	mg/l		
54	Naphthalene		<0.00001	mg/l		

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

55	Dibenz(a,h)anthracene	EKA-CHE-SOP-68	<0.00001	mg/l		
56	Fluoranthene		<0.00001	mg/l		
57	Fluorene		<0.00001	mg/l		
58	Indeno(1,2,3-cd) Pyrene		<0.00001	mg/l		
59	Naphthalene		<0.00001	mg/l		
60	Phenanthrene		<0.00001	mg/l		
61	Pyrene		<0.00001	mg/l		
62	Chrysene		<0.00001	mg/l		
63	Benzo(a)pyrene		<0.00001	mg/l		

TRihalOMETHANES

64	Bromoform	EKA-CHE-SOP-68	<0.01	mg/l	0.1	No relaxation
65	Dibromochloromethane		<0.01	mg/l	0.1	No relaxation
66	Bromodichloromethane		<0.01	mg/l	0.06	No relaxation
67	Chloroform		<0.01	mg/l	0.2	No relaxation

Table 5**Pesticide Residues Limits and Test Method**

68	Alachlor	EKA-CHE-SOP-68	<0.01	µg/l	20	No relaxation
69	Atrazine		<0.01	µg/l	2	No relaxation
70	Aldrin		<0.01	µg/l	0.03	No relaxation
71	Dieldrin		<0.01	µg/l		
72	Alpha HCH		<0.01	µg/l	0.01	No relaxation
73	Beta HCH		<0.01	µg/l	0.04	No relaxation
74	Butachlor		<0.01	µg/l	125	No relaxation
75	Chlorpyrifos		<0.01	µg/l	30	No relaxation
76	Delta HCH		<0.01	µg/l	0.04	No relaxation
77	2,4-Dichlorophenoxyacetic acid		<0.01	µg/l	30	No relaxation
78	2,4 DDT		<0.01	µg/l	1	No relaxation
79	4,4 DDT		<0.01	µg/l		
80	2,4 DDE		<0.01	µg/l		
81	4,4, DDE		<0.01	µg/l		
82	2,4 DDD		<0.01	µg/l		
83	4,4 DDD		<0.01	µg/l	0.4	No relaxation
84	Endosulfan alpha		<0.01	µg/l		
85	Endosulfan beta		<0.01	µg/l		
86	Endosulfan sulphate		<0.01	µg/l	3	No relaxation
87	Ethion		<0.01	µg/l		
88	Gamma — HCH (Lindane)		<0.01	µg/l	2	No relaxation
89	Isoproturon		<0.01	µg/l	9	No relaxation
90	Malathion		<0.01	µg/l	190	No relaxation
91	Methyl parathion		<0.01	µg/l	0.3	No relaxation
92	Monocrotophos		<0.01	µg/l	1	No relaxation
97	Phorate		<0.01	µg/l	2	No relaxation

Table 6**Bacteriological Quality of Drinking water**

98	E. Coli	IS 15185:2016	Absent	/100ml	Shall not be detected in any 100ml sample	Shall not be detected in any 100ml sample
99	Coliform		Absent	/100ml	Shall not be detected in any 100ml sample	Shall not be detected in any 100ml sample

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

					any 100ml sample	
--	--	--	--	--	------------------	--

BLQ: Below Limit of Quantification.

LOQ: Limit of Quantification for – (PCB'S & PAH's - 0.00001 mg/l), (Trihalomethanes - 0.01 mg/l) & (Pesticides - 0.01 µg/l)

Max. = Maximum

Min. = Minimum

NA: Not Applicable.


BDL is the below Detection limit of the detector.

- Residual Free Chlorine <0.2 mg/L (Analyzed at lab) Sample is not chlorinated.

Note: Since turbidity was found, the water was not tasted.

Sample Remark /Conclusion: The analysed sample confirm to IS 10500: 2012 RA 2023 (Drinking water specification) including all amendments in its current and valid version.


Note: Conclusion is provided with reference to tested analytes only.



Mr Varaprasad A Babu

Authorised Signatory

Chemical



Dr. Bharath M R


Authorised Signatory

Biological

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****



Principal

Vagdevi Vilas School

Sy. No.50/3, 43/3, Varanasi@Jinke,
Chimmanahalli Village, Bidarahalli Hobli
Bengaluru-560049

or VAGDEVI VILAS SCHOOL


Chairman